UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/579,265	05/04/2007	Volker Bodecker	MED5001	6589
27777 PHILIP S. JOH	7590 01/09/200 NSON	EXAMINER		
JOHNSON & JOHNSON			STOUT, MICHAEL C	
ONE JOHNSON & JOHNSON PLAZA NEW BRUNSWICK, NJ 08933-7003			ART UNIT	PAPER NUMBER
			4123	
			MAIL DATE	DELIVERY MODE
			01/09/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/579,265	BODECKER ET AL.			
Office Action Summary	Examiner	Art Unit			
	MICHAEL C. STOUT	4123			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>04 M</u> . This action is FINAL . 2b)⊠ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-17 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-17 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on is/are: a) ☐ access applicant may not request that any objection to the orange.	wn from consideration. r election requirement. r. epted or b) objected to by the Edrawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
	ammer. Note the attached office	7.00.017 01 101111 1 0 102.			
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) ☑ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ☑ Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date May 12, 2006.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Art Unit: 3726

DETAILED ACTION

This detailed action is in regards to United States Patent Application 10/579265 filed on May 4, 2007 and is a first action based on the merits of the application.

Claim Objections

1. Claims 1-17 are objected to because of the following informalities: the target position" in line 11 of claim 1 should read --a target position--. Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Application/Control Number: 10/579,265

Art Unit: 3726

3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Page 3

4. Claims 1, 3-13, and 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brehmeier-Flick et al. (US 6083174) in view of Jeffries et al. (US 6193656).

Regarding **claim 1** Brehmeier-Flick discloses an implant comprising a sensor device (sensor element 1,see Column 4, Line 19) being fixedly connected to a first end of a longitudinal carrier (flexible foil 3, see Column 4, Line 20 and Figure 1); and an inductive coil (telemetry unit 2, see Column 4, Line 22) connected to the sensor device via electrical connection lines (strip conductors 4, see Column 4, Line 20) that are arranged on the longitudinal carrier; a covering encapsulating the sensor device (layer 6b, See Column 4, Line 39), the carrier with the connection lines (layer 6a, See Column 4, Line 37), and the coil (6c, See Column 4, Line 39); wherein the carrier has a sufficient rigidity such that the sensor device is adapted to be guided by the carrier during implantation to the target position and held in position at the target position (the

flexible foil 3 is easy to implant because it can be slid under the skin without twisting or being moved in a undesirable direction, see Column 4, Lines 24-27).

Brehmeier-Flick fails to disclose a device wherein the covering part has means for subcutaneous fastening. Jeffries teaches an implant comprising a covering part (housing 500, see Figures 5-8) having a means for subcutaneous fastening (eyelets 502 and 504, see Figure 5).

Both Brehmeier-Flick and Jeffries teach implant devices. Thus, it would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the device disclosed by Brehmeier-Flick to include have a means for subcutaneous fastening as taught by Jeffries in order to connect the sensor to a site in the body, see Jeffries Column 2, Lines 25-33.

Regarding **claim 3**, Brehmeier-Flick further discloses a device wherein there are provided two connection lines between the coil and the sensor device (see Figure 1).

Regarding **claim 4**, Brehmeier-Flick further discloses a device wherein the carrier is flat (see Figure 2).

Regarding **claims 5-7**, Brehmeier-Flick further teaches a device further comprising a stiffening foil being provided in the covering part (the flexible foil while being the carrier also provides stiffening for successful implantation, see Column 4, Lines 24-27) and the carrier is formed as a foil (flexible foil 3) with a rectangular cross section, (see Figures 1 and 2).

Regarding **claim 8 and 9**, Brehmeier-Flick further discloses a device wherein a frame formed in one piece with the carrier (area of the carrier immediately surrounding

Art Unit: 3726

the sensor, see Figure 1) is fastened at the first end of the carrier, the sensor device positively fits within the frame (the sensor device fits within the frame area of the carrier, see Figure 1).

Regarding **claim 10**, Brehmeier-Flick further discloses a device wherein the carrier is formed as a common carrier (all of the components are arranged on the flexible foil 3, see Column 4 Lines 19-21 and Figure 2) for the electrical connection lines and the coil windings.

Regarding **claim 11**, Brehmeier-Flick further discloses a device wherein the sensor device comprises at least one pressure sensor (see Column 4, Lines 7-18).

Regarding **claims 12, 13, 14 and 17,** Brehmeier-Flick further discloses a device wherein the covering part encapsulating the coil is adapted to be arranged in an interior of the brain, (the covering part 6a is made of silicone, a pressure transmitting medium, Column 4 Lines 32-39) and is equipped with a pressure capable of providing at least one of an intraparenchymal and intraventricular pressure measurements once positioned in an interior of the brain, see also Column 1, Lines 39-56.

Regarding **claim 16** Brehmeier-Flick further discloses a device wherein the covering part encapsulating the coil is adapted to be arranged in the epidural (the covering part 6a is made of silicone, a biocompatible material, see Column 4, Lines 32-39 and Column 1, Lines 39-56).

Art Unit: 3726

5. Claims 2 and 15 rejected under 35 U.S.C. 103(a) as being unpatentable over Brehmeier-Flick in view of Jeffries as applied to claim 1 above, and further in view of Ko et al. US 4,519,401.

Brehmeier-Flick/Jeffries teaches the device implant according to claim 1 as set forth above, wherein the carrier (flexible film) is capable of bending has a fluid interface end (sensor end) and a telemetry end. Brehmeier-Flick fails to teach the angles at which the device can flex when implanted, such as the device wherein the carrier is arranged at an angle less than 180° (60°-120°), relative to the plane, in which the coil windings of the inductive coil are arranged.

Ko teaches a pressure sensing implant for measuring ventricle pressure wherein the fluid interface end(catheter 18, Figure 1) is arranged at an angle of around 80° relative to the plane in which the inductive windings of the coil (telemeter 10) are arranged, see Figure 1.

Both Brehmeier-Flick and Ko teach brain pressure sensing implants. Thus, it would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the implant as taught by Brehmeier-Flick to include the ability to measure ventricular pressure as taught by Ko and achieve a device wherein the pressure sensing fluid interface end of the carrier is arranged at an angle between 120° and 60° relative to the plane, in which the coil windings of the inductive coil are arranged, in order to measure ventricular pressure and provide the best operation of the telemetry unit, see Ko Column 1, Lines 17-41 and Brehmeier-Flick Column 3, Lines 12-14.

Art Unit: 3726

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- a. "Study and Development of a Portable Telemetric Intracranial Pressure Measurement Unit," Proceedings 19th International Conference IEEE/EMBS Oct. #0 Nov. 2, 1997 Chicago, IL USA.
- b. "A Portable Microsystems-Based Telemetric Pressure an Temperature
 Measurement Unit," IEEE Transactions on Biomedical Engineering, Vol. 47 No. 1
 January 2000.

Above references disclose an implantable pressure sensor where the carrier is at an angle of less than 180° to the plane of the telemetry unit.

Contact Info

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL C. STOUT whose telephone number is (571)270-5045. The examiner can normally be reached on M-F 7:30-5:00 Alternate (Fridays).

Art Unit: 3726

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joe Del Sole can be reached on 571-272-1130. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MCS

/Essama Omgba/ Primary Examiner, Art Unit 3726